

Number	Name	Symbol	10s	20s	100s
Gymnocalycium					
0 2990	C acorrugatum LF 141, Chucuma, San Juan, Argentina, 850m, 191/00			12,00	
F 2990	D acorrugatum LF 142, San Augustin, San Juan, Argentina, 750m			12,00	40,00
0 2990	A acorrugatum RS 1900, Usno-S.A.Valle Fertil, Arg.	i	6,00		
0 2990	acorrugatum VS 32,Churuma San Juan	i		10,00	
X 2990	acorrugatum, San Augustin	i		12,00	28,00
0 10155	aff. hybopleurum P 24, Dique de Catamarca, Catamarca, Argentina, 600-800m, 774/97			8,00	
0 3023	B aff. neuhuberii VS 8, 410/98	i		12,00	
0 2451	achirasense Kö	i		12,00	24,00
0 2451	D achirasense RS 1772, Villa de Praga-Chcras, Arg.	i		12,00	
0 2451	A achirasense v. villamercedense P 104, Villa del Carmen, San Luis, Argentina, 1253/91	i		12,00	32,00
0 2451	E achirasense v. villamercedense P 104, Villa del Carmen, San Luis, Argentina, 626/97			12,00	
0 2451	C achirasense v. villamercedense RS 1781, El Morro	i		10,00	
0 2451	B achirasense, 1/1, black basis of spines			10,00	28,00
0 2964	A albiareolatum v. ramosum f. LF 32, Villa Sañagasta 1100 m, p. La Rioja, Argentina, 465/98	i		12,00	
0 2453	albispinum, 272/93		8,00		
0 2452	A alboareolatum P 382a, North of Sanagasta, La Rioja, Argentina, 36/00	i		10,00	
0 2452	alboareolatum, 594/95			12,00	
0 10125	A alehulten BL 530, 402/97	i		10,00	
0 2454	A altagraciense P 119, Vulla de Maria, Arg, 500m, 460/91	i		8,00	
0 2454	altagraciense P 119, Vulla de Maria, Arg, 500m, Kö	i		10,00	
F 2455	ambatoense LF 75, Miraflores, Catamarca, Argentina, 1100m			8,00	25,00
0 2455	B ambatoense P 22, Concepcion, Catamarca, Arg, Kö	i		8,00	
0 2455	A ambatoense STO 89-267, Catamarca Las Palmas, Arg, closely spined, 43/97	i		8,00	28,00
X 3018	D amerhauseri, Sierra Chica	i		10,00	22,00
0 3047	anbald, 66/89, 519/89			6,00	25,00
0 2456	B andreae f. P 213, small yellow flower, Cerro Los Gigantes 1900 m, p. Cordoba, Argentina, 711/97	i		12,00	28,00
0 2456	D andreae P 213, Cerro los Gigantes, Cordoba, Argentina, 268/93	i		12,00	
0 2456	G andreae v. albiflorum, 274/93, pure white flower		10,00		
X 2456	F andreae v. carolinense, Coneto Pajoso	i		10,00	24,00
0 2457	A andreae v. grandiflorum, 236/93		6,00		
F 2456	H andreae v. leucacanthum LF 94, El Condor, Cordoba, Argentina, 2250M		8,00		
0 2458	andreae v. svecianum, 403/86		6,00		
0 2456	andreae, 261/93			6,00	
0 2456	CH andreae, 657/97		6,00		
X 2456	E andreae, Sierra Grande	i		10,00	22,00
0 2461	A anisitsii "thorny", 885/95			6,00	
0 2459	B anisitsii Bozsing, 4/1	i		6,00	
0 2459	A anisitsii Fehser, 3/1	i		6,00	
0 2459	C anisitsii imp., 942/95	i		6,00	
0 2463	anisitsii Nr. 187, 337/96			6,00	
0 3048	aureum???, (27/89) 537/89			6,00	
0 2483	Q baldianum B 080, Kö/91	i		12,00	
0 2483	R baldianum B 080, Kö/92	i		12,00	
0 2483	F baldianum Bo 124, Cuesta de Totoral 1250 m, p. Catamarca, Argentina, 864/95	i		8,00	35,00
0 2483	V baldianum RS 1849, El Chorro, Arg.	i	6,00		
0 2483	X baldianum RS 1850, tow. El Portezuelo, Arg.	i	6,00		
0 2483	Y baldianum RS 1861, Los Varella, Arg.	i		10,00	
0 2483	U baldianum STO 251, Andalgalá, 39/97	i	6,00		
X 2483	Z baldianum, Cuesta Portezuelo Cat	i		10,00	22,00
X 2484	D baldianum, El Alto	i		10,00	22,00
X 2483	P baldianum, Sierra Ancasti	i		10,00	22,00
0 2485	F bayrianum , Cerro Medina	i		12,00	
0 2485	B bayrianum Kö, long spine, grey body!, very nice	i		10,00	30,00
X 2485	CH bayrianum L 447, Sierra Medina, Tucuman, Argentina 1200-1500m	i		10,00	22,00
X 2485	D bayrianum v. brevispinum, Tucuman	i		10,00	22,00
0 2485	H bayrianum, 7/1, long spines			12,00	
0 2485	G bayrianum, de Herdt 267/92			12,00	30,00
0 2485	C bayrianum, green, 343/93			10,00	30,00

F	3044	B	berchtii LF 98, Chanares, San Luis, Argentina, 800m			8,00		40,00
X	3044	A	berchtii, Los Chañares	i			12,00	28,00
O	2486	A	bicolor FR 433, Capilla del Monte, Córdoba, Argentina, 856/95	i			12,00	
O	2487	A	bicolor v. simplex RS 1840, San Pedro del Norte, Arg.	i			10,00	
O	2487		bicolor v. simplex, 451/89				8,00	
O	2491	G	bodenbenderianum 1				6,00	
O	2491	F	bodenbenderianum BG Linz f. 458, 670/98	i			8,00	
O	2491	D	bodenbenderianum STO 506, 57/97	i			10,00	28,00
O	2491	B	bodenbenderianum, NDR	i			10,00	
O	2491	E	bodenbenderianum, Vyoral, 89/9				10,00	
O	2495	CH	borthii BO 55, Ciudad de Rosario	i			12,00	
O	2496	C	bozsingianum Bozsing, 247/93	i			6,00	25,00
F	2496	G	bozsingianum LF 15, Villa Chepes, La Rioja, Argentina, 600m				8,00	25,00
O	2496	F	bozsingianum P 205, epes Viejo, La Rioja, Argentina 700m, 42/00	i			10,00	
O	2496	E	bozsingianum P 205, epes Viejo, La Rioja, Argentina 700m, 698/97	i			10,00	28,00
O	2496	D	bozsingianum STO 202, Cepes Viejo, 35/97	i			10,00	28,00
O	2496		bozsingianum, 9/1				6,00	25,00
O	2498	A	brachypetalum P 101, Choele Choel, Rio Negro, Argentina, 244/93	i			12,00	
O	2498	F	brachypetalum, 625/76				10,00	
O	2976		brasiliense, red flower, 289/93 (cv. Suba?)			8,00		
O	2499	A	brevispinum???(quehlianum?), 11/1				5,00	
X	3020	C	bruchii v. albispinum, La Falda	i			10,00	22,00
X	3020	D	bruchii v. brigittae P 214, Salsacate - Tanninga, Cordoba, Argentina 1850m, Cordoba	i			12,00	28,00
O	3020	D	bruchii v. brigittae P 214, Salsacate - Tanninga, Cordoba, Argentina 1850m, Cordoba, 734/97	i			12,00	
O	3020	F	bruchii v. brigittae, 734/97			8,00		
O	3020	E	bruchii v. brigittae?, 189/00			8,00		
O	2504	A	bruchii v. hossei OF 280, 58/00			12,00		
O	2504		bruchii v. hossei, 147/96			8,00		
O	3021		bruchii v. niveum, Kö/93	i		8,00		
O	3021	A	bruchii v. niveum, Los Tres Cascados	i			14,00	
O	2501	F	bruchii, 128/85			6,00		
O	2501		bruchii, clustered, Ko				8,00	28,00
O	3020	G	bruchii, El Condor				12,00	28,00
O	2501	E	bruchii, La Falda	i			12,00	
O	2507	CH	calochlorum - parvulum complex P 109B, drobný stonek, velmi robustní květ, Villa Cura Brochero 1000 m, p. Cordoba, Argentina, 865/95	i			12,00	
O	2882		calochlorum (sigelianum?) B 93, Merlo, San Luis, Argentina 800m, 162/95	i		6,00		
O	3002		calochlorum B 184, Argentina, 282/95	i		6,00		
O	2507	H	calochlorum B 184, Cordoba, Arg, 882/95			6,00		
O	2510		calochlorum B 184, Cordoba, Arg, Kö/92	i			12,00	
O	2876		calochlorum B 58, Cordoba, 800m, Arg, Kö	i			12,00	
O	2507	J	calochlorum v. proliferum RS 1789, El Nono, Arg.	i			10,00	
O	2507	I	calochlorum, 13/1				10,00	
O	2513	I	capillaense complex P 192, Borrotaeran 700 m, p. Cordoba, Argentina, 699/97	i		8,00		
O	2513	J	capillaense LF 84, 1158/97	i			12,00	
O	2514	A	cardenasianum JO 193, Carrizal, Bol.	i			12,00	
O	2514	H	cardenasianum, 15/1				10,00	
X	2514	F	cardenasianum, De Tarija	i	**		8,00	22,00
O	2514	G	cardenasianum, very long spines		**		12,00	35,00
O	2516	I	carminanthum B 130, 879/95	i			10,00	28,00
O	2516	J	carminanthum LF 74, 1186/97	i			10,00	28,00
O	2516	C	carminanthum STO 89-259, Catamarca El Rodeo, Arg, 40/97	i			12,00	
O	2516	F	carminanthum, 223/84				10,00	
O	2516	G	carminanthum, 903/95				10,00	24,00
X	2516	H	carminanthum, Sierra Ambato	i			10,00	22,00
O	2517	D	castellanosii				10,00	
F	2517	F	castellanosii SE 020, Malanzani, long spines!!!			8,00		
F	2517	G	castellanosii v. armillatum LF 13, Ulapes, La Rioja, Argentina, 600m			8,00		30,00
O	2517	C	castellanosii, 177/80				8,00	
O	2517		castellanosii, 466/91				8,00	
F	10179	C	catamarcense LF 37aBelen, Catamarca, Argentina, 900m				10,00	25,00
F	10179	D	catamarcense LF 37b, Quebrada de Belen, Catamarca, Argentina, 1200m				10,00	
F	10179	E	catamarcense LF 70, Cuesta Mina, Capillitas Catam., Argentina, 1800m				10,00	
O	10179	B	catamarcense PHA 1116, mezi Belén a Hualfin, Arg.	i		8,00		
F	10179	F	catamarcense v. Belenense LF 37, Cuesta Belen, Catamarca, Argentina, 1200m				10,00	

0	10179		catamarcense v. belenense RS 1569, Belén, Arg.	i		10,00	
0	10179	A	catamarcense v. RS 1568, Londres-Shingal, Arg.	i		10,00	
0	2530		comarapense, similar saglion., 904/95			6,00	20,00
0	3049	A	cordobense LF 80, 195/00	i		12,00	
X	3049		cordobense, Quilino	i		10,00	22,00
0	2528		curvispinum Portezuelo, 227/80			8,00	
0	2525		curvispinum, 948/76			8,00	
0	2926	C	cv. J. Šuba, red flower, 27/96			10,00	
0	2926		cv. J. Šuba, red flower, 436/87			10,00	
0	2926	D	cv. J. Šuba, red flower, 85/87			10,00	40,00
0	2531	B	damsii de Salinas, 235/95			8,00	
0	2531	A	damsii FR 1179, Conception, Puerto Casado, 887/95	i		8,00	
0	2532		damsii v. centrispinum, 467/91			8,00	
0	2534		damsii v. rotundulum, 19/1			8,00	
0	2534	A	damsii v. rotundulum, Roboré, Bolívie, Hammerschmidt, 898/95	i		8,00	
0	2538		damsii v. San José, 296/96			8,00	
0	2536	A	damsii v. torulosum orig. San Jose Bolívie, 871/95	i		8,00	
0	2540		delaetii			6,00	
0	2540	A	delaetii v. longispinum, 295/96			10,00	28,00
0	2544		denudatum f. Brazil, 230/84			6,00	
0	2541	G	denudatum GD 1188, 452/84	i		6,00	
X	2544	B	denudatum Rio Negro			10,00	22,00
0	2542	A	denudatum v. albispinum ?, 285/93			10,00	
0	2542		denudatum v. albispinum ?, 621/76			10,00	
0	2547	B	denudatum v. flavispinum			10,00	
0	2547	A	denudatum v. flavispinum 1315/76			10,00	
0	2541	I	denudatum, 89/91 Vyoral			6,00	
0	2566	B	doppianum Fechser, 1255/91			12,00	
0	2566		doppianum, Kö large yellow flower	i	!	10,00	
0	3011	A	erinaceum, Kö/91	i		12,00	35,00
0	10151		eroliesii LB 2308, 181/03	i		12,00	32,00
0	2570	B	eurypleurum			8,00	
0	2572		eytianum, 25/1			8,00	22,00
F	2574	D	ferocior SL 20a/96, 20km E of Los Llanos			12,00	
0	2574	A	ferocior v. de Soto GN 91-395/1397, 884/95	i		12,00	30,00
0	2574	C	ferocior, 673/98			10,00	
0	2574	B	ferox v. ferocior (hybopleurum v. ferox?), 341/93			10,00	
F	2573	E	ferrari LF 33, Santa Teresita, La Rioja, Argentina, 1000m			12,00	
X	2573	D	ferrari, Catamarca	i		12,00	24,00
0	2573		ferrarii, 228/93			10,00	
0	2573	C	ferrarii, 643/97			10,00	30,00
F	3868	A	fischeri LF 1, El Volcan, San Luis, Argentina, 1100m			8,00	
0	2575	B	fleischerianum v. rubriflorum NSR	i		8,00	
0	2575	A	fleischerianum v. rubriflorum, 26/1			8,00	
0	3050		frankianum, Kö/98	i		12,00	
X	2580	F	friedrichii v. fleischerianum			8,00	22,00
0	2580	C	friedrichii v. mendozanensis? HU 312 Mendoza, Chaco, Paraguay - de Herdt, 867/95	i		8,00	28,00
0	2581		friedrichii v. moserianum Moser, 85/87	i		8,00	28,00
0	2580	B	friedrichii v. piraretaense subv. albiflorum, 889/95			8,00	
0	2582		friedrichii v. piraretaense, 29/1	i		8,00	28,00
0	2580	D	friedrichii, 1942/91, very nice form!!			8,00	28,00
0	2580	A	friedrichii, Fleischer, 22/1			10,00	
0	2614		gibbosum alfa AVF, /78			10,00	
0	2616	A	gibbosum DV 55, Argentina, 1039/97	i		12,00	
0	2909		gibbosum f. 18			6,00	25,00
0	3017	A	gibbosum f. 29			6,00	
0	3006		gibbosum f. 3			6,00	25,00
0	2616	C	gibbosum f. 30			6,00	22,00
0	3017		gibbosum f. 5			6,00	22,00
0	3017	B	gibbosum f. 8			6,00	
0	2616	E	gibbosum f., Vyoral, 89/91			6,00	
0	2583	B	gibbosum P 95, Rio Colorado, Buenos Aires, Argentina, 300m, 1063/97	i		12,00	30,00
0	2613		gibbosum v. 1102 AVF, 210/76			6,00	
0	2590		gibbosum v. fenneli, 234/84			8,00	30,00
0	2591		gibbosum v. ferox, 235/84			6,00	25,00

0	2591	A	<i>gibbosum</i> v. <i>ferox</i> , 70/76			6,00	25,00
0	2872	C	<i>gibbosum</i> v. <i>genseri</i>			8,00	
0	2872	A	<i>gibbosum</i> v. <i>genseri</i> LF 83, 1160/97		i	10,00	26,00
0	2872		<i>gibbosum</i> v. <i>genseri</i> ? B 42, Kö		i	6,00	24,00
0	2592	A	<i>gibbosum</i> v. <i>gerardii</i>			10,00	
0	2592	B	<i>gibbosum</i> v. <i>gerardii</i> , 236/84			10,00	
0	2592		<i>gibbosum</i> v. <i>gerardii</i> , 96/95			10,00	
0	3022		<i>gibbosum</i> v. <i>gerardii</i> , 961/95			10,00	24,00
0	2593		<i>gibbosum</i> v. <i>kozelskyanum</i> , 237/89			10,00	
0	2594		<i>gibbosum</i> v. <i>leonense</i> , 254/84			6,00	
0	2596		<i>gibbosum</i> v. <i>leucanthum</i> , 271/80			10,00	
0	2597		<i>gibbosum</i> v. <i>leucodyction</i>			12,00	
0	2599	A	<i>gibbosum</i> v. <i>nigrum</i> (very dark till black body!), 1021/76			8,00	24,00
0	2599	B	<i>gibbosum</i> v. <i>nigrum</i> (very dark till black body!), 139/83			10,00	24,00
0	2600	C	<i>gibbosum</i> v. <i>nobile</i>			12,00	
0	2600	A	<i>gibbosum</i> v. <i>nobile</i> Sierra Ventana, 712/84		i	12,00	
0	2600		<i>gibbosum</i> v. <i>nobile</i> , 109/83			10,00	
0	2600	D	<i>gibbosum</i> v. <i>nobile</i> , 239/84			10,00	
0	2600	E	<i>gibbosum</i> v. <i>nobile</i> , 241/84			10,00	
0	2601		<i>gibbosum</i> v. <i>pluricostatum</i> , 240/84			8,00	24,00
0	2601	A	<i>gibbosum</i> v. <i>pluricostatum</i> , 39/86			10,00	
0	2605	I	<i>gibbosum</i> v. <i>reductum</i> f. P 94, white flower, short rough spines, Abra de la Ventana 400 - 500 m, p. Buenos Aires, Argentina, 1067/97		i	12,00	
0	2605	CH	<i>gibbosum</i> v. <i>reductum</i> f. P 94, white flower, short rough spines, Abra de la Ventana 400 - 500 m, p. Buenos Aires, Argentina, 1256/91		i	12,00	
0	2605	A	<i>gibbosum</i> v. <i>reductum</i> f. P 94, white flower, short rough spines, Abra de la Ventana 400 - 500 m, p. Buenos Aires, Argentina, 349/93		i	12,00	28,00
0	2605		<i>gibbosum</i> v. <i>reductum</i> , 807/97			8,00	24,00
0	2608	A	<i>gibbosum</i> v. <i>rostratum</i> , 128/83			10,00	24,00
0	2608		<i>gibbosum</i> v. <i>rostratum</i> , 248/93			10,00	
0	2609		<i>gibbosum</i> v. <i>schlumbergerii</i> , 1024/76			8,00	26,00
0	2609	A	<i>gibbosum</i> v. <i>schlumbergerii</i> , 119/84			8,00	26,00
0	2609	B	<i>gibbosum</i> v. <i>schlumbergerii</i> , 169/83			8,00	26,00
0	2610		<i>gibbosum</i> v. <i>tenuispinum</i> , very thick spines, 244/84			6,00	
X	2707	A	<i>glaucum</i> (<i>mucidum</i>) P 36A, Salicas, Catamarca, Argentina 1000m			12,00	30,00
0	2619	D	<i>glaucum</i> JO 280, 274/99			12,00	
F	2619	C	<i>glaucum</i> LF 23, San Blas, La Rioja, Argentina, 1050m			10,00	
0	2619		<i>glaucum</i> , 159/95			6,00	
0	2619	A	<i>glaucum</i> , San Blaas, La Rioja Arg., 494/98		i	12,00	
F	2622	C	<i>guachinense</i> LF 17, Guanchin, La Rioja, Argentina, 1850m			10,00	30,00
F	2622	D	<i>guachinense</i> v. <i>longispinum</i> LF 16b, Los Tambillos			12,00	35,00
F	2622	E	<i>guachinense</i> v. <i>mirandense</i> LF 16a, Cuesta Miranda, La Rioja, Argentina, 1500m			12,00	35,00
F	2622	F	<i>guachinense</i> v. <i>mirandense</i> P 226, Cuesta Miranda, La Rioja, Argentina, 1500m			12,00	
0	2622	A	<i>guanchinense</i> PHA 1088, Questa Mirador, Arg.,		i	8,00	
0	2622	B	<i>guanchinense</i> PHA 1093, Questa Mirador, Arg.		i	6,00	
0	2622		<i>guanchinense</i> , 79/78			6,00	24,00
0	2622	G	<i>guanchinense</i> , Guanchin, La Rioja, 420/98			10,00	
0	2627		<i>hennissii</i> , Kö		i	8,00	22,00
0	2968	A	<i>heuschkelianum</i> ?, 257/93 (yellow flower).			6,00	
0	2968	C	<i>heuschkelianum</i> NDR, 38/97		i	6,00	
0	2968	D	<i>heuschkelianum</i> , 74/1			6,00	
0	2968	B	<i>heuschkelianum</i> , 77/89			10,00	
0	2628	B	<i>horridispinum</i> RS 1819, La Mutana, Arg.		i	10,00	
0	2506		<i>horstii</i> v. <i>bueneckeri</i> Kö		i	10,00	30,00
0	2630	E	<i>hossei</i> complex f. P 139, Carrizal 900 m, p. La Rioja, Argentina, 353/92		i	12,00	
F	2630	K	<i>hossei</i> v. <i>longispinum</i> LF 35, Estancia Mazan, Catamarca, Argentina, 1100m			12,00	
0	2630	L	<i>hossei</i> , 512/93			6,00	
0	2630	I	<i>hossei</i> ? RS 1879, near Villa Mazán, Arg.		i	10,00	
0	2630	M	<i>hossei</i> ? STO 861, 64/97			6,00	
0	2632	A	<i>hybopleurum</i> f. <i>gibbosum</i> ?, 247/84			6,00	
0	2637		<i>hybopleurum</i> v. <i>ferocior</i> , 348/93			8,00	
X	2524	A	<i>hyptiacanthum</i> v. <i>citriflorum</i>			12,00	28,00
0	2645	A	<i>hyptiacanthum</i> v. <i>ferox</i> ?, 23/1			6,00	
0	2645		<i>hyptiacanthum</i> v. <i>ferox</i> ?, 251/84			6,00	24,00
0	2641	A	<i>hyptiacanthum</i> Vyoral, 89/94, hybrid!			6,00	
0	2641		<i>hyptiacanthum</i> , 528/92			6,00	

X 2519	A	chiquitanum, St Cruz	i		10,00	22,00
0 2522		chubutense			10,00	
X 2522	E	chubutense, Puento Medrin	i		10,00	22,00
0 2897	B	intermedium			8,00	
0 2897		intermedium P 113, Salsacate, Arg, 900m, 501/91	i		8,00	
0 2648	J	intertextum CH 2075, 202/00			8,00	24,00
0 2648	G	intertextum P 81, South of Villa de Soto, Cordoba, Argentina 700-800m, 796/97	i		8,00	
0 2648	B	intertextum P 81a, South of Villa de Soto, Cordoba, Argentina 700m, 861/95	i		8,00	
0 2648	CH	intertextum STO 197, before Tananga, 34/97	i		8,00	
0 2648	A	intertextum v. intermedium STO 92-499/1, Cordoba Las Lechuzas, Arg, 56/97	i		12,00	28,00
0 2648		intertextum, 1/76			8,00	
0 2650		joosensianum, tm. pink flower, 476/91	!!!		10,00	28,00
0 2966	F	kieslingii B 063, Kö		8,00		
0 3008	C	kieslingii f. albiareolatum SL29A, SE of Pinchas, Sierra Mazan - Sierra Velasco, p. La Rioja, Argentina, 766/97	i		12,00	
0 2966		kieslingii v. castaneum Kö, brown body	i		12,00	
0 2966	C	kieslingii v. castaneum LF 25, Anilaco, 1185/97	i		12,00	
0 2653	A	knolii, 338/93		8,00		
0 2654		kozelskianum			10,00	
X 2654	B	kozelskianum			8,00	24,00
0 2654	A	kozelskianum RS 1532, Tama, Arg.	i		10,00	
0 3003		kozelskianum v. multicostatum, 72/86			8,00	24,00
0 10126		kroenleinii, Kö/98	i	12,00		
0 2661	A	leeanum v. brevispinum 559/92			10,00	
0 2661		leeanum v. brevispinum, 519/92			10,00	32,00
0 2715	C	leeanum v. netrelianum, 509/92		8,00		
0 2663		leptanthum f. blueviolet body!, 37/95			10,00	
0 2663	A	leptanthum f. green, 89/91			10,00	
0 2663	C	leptanthum v. netrelianum?, 580/92		6,00		
0 2912	A	leptispinum ?, 241/93		8,00		
0 2668		marsoneri			12,00	
0 2668	C	marsoneri Ko92			10,00	40,00
0 2668	A	marsoneri P 230, Campo Cuijano, Salta, Argentina 1100m	i		14,00	
0 2670	A	mazanense (hossei) P 139, Carrizal, La Rioja, Argentina 900m	i	6,00		
0 2671	A	mazanense v. breviflorum, 635/95		6,00		
0 2671		mazanense v. breviflorum?		6,00		
0 2672	B	mazanense v. ferox P 30a, Cuesta de Sebila, La Rioja, Argentina, 1200m, 9/00		8,00		
0 2672	A	mazanense v. ferox P 79a, Chilesito - Guanchin, La Rioja, Argentina 1300m, 800/97	i	8,00		
0 2672		mazanense v. ferox, Kö	i	8,00		
F 2670	E	mazanense v. polycephalum (nidulans?) SL 23a, South-East of Saligas			12,00	
F 2760	B	mazanense v. polycephalum LF 21, Cuipan, La Rioja, Argentina, 1100m			12,00	
F 2670	D	mazanense v. polycephalum P 223, Sierra de Velasco, La Rioja, Argentina, 1500m			12,00	
0 2674	D	megalothelos v. delaetii, 326/93			8,00	
0 2673		megalothelos		6,00		
0 2673	A	megalothelos de Laet ,75/86	i	6,00		
0 2673	C	megalothelos Schutz, 46/86		6,00		
0 2674	B	megalothelos v. delaetianum		6,00		
0 2674	C	megalothelos v. delaetianum, 38/95		6,00		
0 2673	B	megalothelos, 68/86			8,00	28,00
0 10152		merderplatense, Kö	i	12,00		
0 2678	B	mesopotamicum P 241, Corrientes, Arg, 479/91, hybrid?	i		12,00	
0 2683		mihanovichii v. filadelfiense (Pažout), black dotted epidermis, green flower, 29/82	!!!		8,00	
0 2680	E	mihanovichii imp. Sev. Argentina, 829/97			10,00	
X 2686	A	mihanovichii v. melocactiforme			10,00	22,00
0 2689		mihanovichii v. rysanekianum			8,00	
0 2690	A	mihanovichii v. stenogonum f. P 242, green-yellow flower, Chaco Austral 150 m, p. Formosa, Argentina, 648/98	i		12,00	
X 2690	B	mihanovichii v. stenogonum, Chaco Austral	i		10,00	22,00
0 2690		mihanovichii v. stenogonum, orig AVF (z rostlin ze semen od holotypu)	i	!!	8,00	
0 2680	C	mihanovichii, 481/91		!	10,00	24,00
X 2680	D	mihanovichii, Bahia Negra, Parag	i		10,00	22,00
0 2679	A	michoga FB, 615/97			10,00	
0 2696	I	monvillei f. RS 1506, white flower, Tanti, Arg.	i		10,00	
0 2696	L	monvillei f. RS 1802, Bos. Alegre	i		10,00	
0 2696	M	monvillei RS 1721, Las Virgenes, Arg.	i		10,00	
0 2696	J	monvillei v. gertrudae RS 1774, Saladillo, Arg.	i		10,00	

0	2696	K	monvillei v. steineri RS 1792, Niña Paula, Arg.	i		10,00	
X	2695	H	monvillei v. steineri, Cumbres de Achala	i		10,00	22,00
0	2695	CH	monvillei v. steinerii LF 95	i		10,00	
0	2700	O	monvillei, 748/97			8,00	22,00
X	2700	N	monvillei, Sierra Grande, Cordoba	i		10,00	24,00
0	2874	D	moserianum (intertextum) B 56, Cordoba, Arg, 1069/97			10,00	
0	2874		moserianum (intertextum) B 56, Cordoba, Arg, Kö	i		10,00	
0	2699	I	moserianum B 059, Andalgala, Catamarca, Argentina 700m, Kö/91	i		10,00	
0	2699	E	moserianum FB 610, 657/97	i		10,00	
0	2699	B	moserianum orig. Serrezuela imp. Moser, 896/95	i		10,00	28,00
0	2699	F	moserianum P 90, Serrezuela, Cordoba, Argentina, 764/97	i		12,00	
0	2874	C	moserianum P 90, Serrezuela, Cordoba, Argentina, 855/95	i		12,00	40,00
0	2699	D	moserianum P 90, Serrezuela, Cordoba, Argentina, long spines!, 267/93	i		12,00	
0	2700	A	moserianum v. albispinum, 664/97			8,00	
0	2699	B	moserianum, origin from holotypus Schuetz, 890/95			16,00	
0	2701	G	mostii ? RS 1799, Bosque Alegre, Arg.	i		10,00	
0	2701	E	mostii FB 666, 237/93	i	8,00		
0	2701	F	mostii LF 151, 1159/97	i		10,00	
0	2701	H	mostii RS 1801, Bosque Alegre II., Arg.	i		10,00	
0	2706		mostii Wo 68/69, Cordoba, Argentina 900m, 43/1	i		10,00	
0	2707	B	mucidum P36, South - East of Tinogasta, Catamarca, Argentina, 11/00		6,00		
X	2707	A	mucidum., San Blas	i		10,00	22,00
0	2707		mucidum?			8,00	20,00
0	2708	B	multiflorum imp. Bozsing, 240/93	i		10,00	28,00
0	2708	D	multiflorum SL 11a, 649/97			12,00	
0	2708	C	multiflorum, 266/93			8,00	24,00
0	2708	A	multiflorum? very nice large pink-red flower, 940/95			12,00	28,00
X	2715	B	netrelianum			12,00	30,00
0	2715	A	netrelianum, 45/1		8,00		
0	2715	D	netrelianum, 508/92		8,00		
0	3023	A	neuhuberi GN 89-77/363, Sierra De San Luis, 1300m 893/95, large pink flower!	i		10,00	30,00
0	3023	E	neuhuberi VS 8, 410/98	i		10,00	
0	3023	C	neuhuberii LF 10, Suyuque Nuevo, San Luis, Argentina, 1550m, 1149/97	i		12,00	28,00
F	2716	J	nidulans LF 19, Guandacol, La Rioja, Argentina, 1200m			10,00	25,00
F	2716	I	nidulans LF 19a, Guandacol, La Rioja, Argentina, 1250m			10,00	25,00
F	2716	K	nidulans LF 28, Anillaco to Señor de la Pena, La Rioja, Argentina, 1450m			12,00	
F	2716	L	nidulans (weisianum) LF 30, Señor de la Pena, La Rioja, Argentina, 1450m			10,00	25,00
0	2716	C	nidulans f., 485/91 long spines			10,00	
0	2716	H	nidulans P 138, Señor de la Pena, La Rioja, Arg, 852/95	i		12,00	
0	2716	F	nidulans P 138, Señor de la Pena, La Rioja, Arg, 888/95	i		12,00	28,00
0	2716	CH	nidulans RS 1882, Señor de la Pena, Arg.	i		10,00	
0	2716	G	nidulans, 46/1			10,00	
0	2718		nigriareolatum		6,00		
0	2883	A	nigriareolatum B 115, Argentina, 602/80	i		8,00	20,00
F	2718	J	nigriareolatum LF 72, Cuesta El Portezuelo, Catamarca, Argentina, 900m			8,00	25,00
0	2718	D	nigriareolatum P 130, Cuesta de Potezuelo, Catamarca, Argentina 900-1500m, 625/97	i		10,00	
0	2718	G	nigriareolatum RS 1852, El Portezuelo II, Arg.	i		10,00	
0	2718	B	nigriareolatum STO 268, 44/97	i	10,00		
0	2718	E	nigriareolatum v. curvispinum STO 362, 47/97	i	8,00		
0	2718	C	nigriareolatum v. densispinum, 410/92			10,00	28,00
F	2718	I	nigriareolatum v. ensispinum LF 71, Monte Portrero, Catamarca, Argentina, 1100m			10,00	
0	2718	F	nigriareolatum v. simoi RS 1859, tow. La Mercede, Arg.	i		10,00	
0	2718	CH	nigriareolatum, 71/86			6,00	
0	2718	H	nigriareolatum-pflanzii? RS 1851, El Portezuelo, Arg.	i		12,00	
F	2976	B	obductum LF 82, Quilino, Cordoba, Argentina, 600m			10,00	30,00
0	2976	A	obductum P 121, chocolate epidermis, Salinas Grandes 400 m, p. Cordoba, Argentina, 254/93	i		8,00	
F	2721	B	occultum LF 76, Miraflores, Catamarca, Argentina, 1000m			10,00	25,00
0	2721		occultum P 131, Tres Puentes, Catamarca, Argentina, 359/92	i		10,00	28,00
0	2721	C	occultum, 331/93			10,00	
0	2732	A	odoratum, 708/97		6,00		
0	2733	B	oenanthemum f., 528/95		8,00		
0	2733		oenanthemum, Pažout, red flower!			8,00	
X	2733	A	oenanthemum, Sierra Ambato	i		10,00	22,00
0	2723	E	ochoterenai FB 35, 679/97	i		12,00	

0	2723	CH	ochoterenai FB 52, 242/93			6,00		
0	2723	G	ochoterenai FB 742, 613/97		i		10,00	28,00
0	2723	H	ochoterenai LF 12, 452/98		i		10,00	28,00
0	2725		ochoterenai v. cinereum Kö		i		8,00	
X	2725	C	ochoterenai v. cinereum, La Rioja		i		8,00	24,00
0	2728		ochoterenai v. polygonum, 47/1			6,00		
0	2729		ochoterenai v. tenuispinum, 332/93				8,00	28,00
0	2729	D	ochoterenai v. tenuispinum, 666/97				8,00	28,00
0	2729	C	ochoterenai v. variispinum 707/92				8,00	
0	2730		ochoterenai v. variispinum Kö		i		8,00	
0	2735		ourselianum				8,00	
F	10153	A	papschii LF 97, Loma Bola, Cordoba, Argentina, 900m				12,00	35,00
X	10153		papschii, Loma Bolla		i		12,00	30,00
X	2743	A	pflanzii P 240, Rio Grande, Jujuy, 600m, Arg				8,00	20,00
0	2649	A	pflanzii v. izozogsii, 640/93				10,00	22,00
0	2894	A	piltziorum LF 20, Pituil, La Rioja, Argentina, 1250m, 211/00		i		10,00	
F	2894	C	piltziorum LF 26, Anillaco, La Rioja, Argentina, 1450m				10,00	30,00
0	2894		piltziorum P 38, Sierra de Velasco. Arg, 1200m, brown body, black spines, Kö		i		10,00	25,00
0	2753	B	platense, Vyoral 456/89			5,00		
X	2659	C	platygonum P 216, East of Sierra Malanzan, La Rioja, Argentina 750m		i		12,00	24,00
0	2659	D	platygonum P 216, East of Sierra Malanzan, La Rioja, Argentina 750m, 28/00		i		12,00	32,00
X	2760	A	polycephalum, Cuipan				8,00	24,00
0	2760		polycephalum???, (quehlianum-stellatum forma), clustering, 50/1				6,00	20,00
F	10219		prochazkianum LF 81, Quilino, Cordoba, Argentina, 600m				25,00	90,00
0	2507		proliferum NSR, 1152/91			8,00		
0	10154		pseudomalacocarpus, 1073/97			10,00		
X	3023	D	pseudonehuberi, Suyugue Nuevo		i		10,00	22,00
0	2764		pseudoragonesii 52/1				10,00	28,00
0	2765		pseudosaglione, 271/84				10,00	
0	2766		pugionacanthum LF 27, Anillaco La Rioja, Argentina, /97		i	8,00		
F	2766	B	pugionacanthum LF 27a, Anillaco, La Rioja, Argentina, long spines!!!				12,00	35,00
0	2766	A	pugionacanthum, 284/93				8,00	
0	2766	C	pugionacanthum, Anillaco, La Rioja, 212/99			8,00		
0	2767		pungens, 53/1				6,00	
0	2769	K	quehlianum Tanti, Cord., 831/97		i		8,00	25,00
0	3016		quehlianum f. BL59, 1266/91		i		8,00	
0	2769	S	quehlianum P 13, Sierra Tulumba, Cordoba, Argentina, 900m, 281/04				8,00	
0	2769	H	quehlianum P 196, Cordoba, 360/92		i		8,00	
0	2769	F	quehlianum P 202, Cordoba Villa Carlos Paz, 700m, Arg, 873/95		i		8,00	25,00
0	2769	O	quehlianum STO 278, neotype Till, San Martin, 45/97		i		10,00	
0	2769	L	quehlianum UN 51, 517/89		i		8,00	24,00
0	2774	B	quehlianum v. flavispinum P 180, Rio Tercero, Cordoba, Argentina, 600m, 348/03				8,00	
0	2774	C	quehlianum v. flavispinum STO 225/4, 249/03				8,00	
0	2774		quehlianum v. flavispinum, 55/1				6,00	20,00
0	2774	A	quehlianum v. flavispinum, longer spines, 911/95				6,00	20,00
0	2775		quehlianum v. kleinianum, 325/93				6,00	20,00
0	2470	S	quehlianum v. minimum, 913/95				6,00	20,00
0	2470	U	quehlianum v. polycephalum, 537/89				6,00	20,00
0	2776	A	quehlianum v. rinconada, pink flower				6,00	20,00
0	2776	B	quehlianum v. rinconada, pink flower, 488/91				6,00	20,00
0	2778		quehlianum v. roseiflorum, 837/76				6,00	20,00
0	2769	T	quehlianum v. zantnerianum P 13, 352/03				6,00	
0	2779		quehlianum v. zantnerianum, 59/1				6,00	20,00
0	2769	P	quehlianum, Durango, 298/93		i		8,00	25,00
0	2769	J	quehlianum, Durango, 713/97		i		8,00	25,00
0	2769	R	quehlianum? (robustum) LF 80, Quelinas, Cordoba, Argentina			8,00		
0	2782	B	ragonesii L 472, Salinas Grandes, Santiago del Estero, 200m, 457/89		i		8,00	
0	2782		ragonesii L 472, Salinas Grandes, Santiago del Estero, 200m, 714/84		i		8,00	
0	2782	A	ragonesii f. roseiflorum				12,00	30,00
0	3001		riograndense, 328/93				8,00	30,00
0	2491	CH	riojense (bodenbenderianum) P 76c, Paganzo, La Rioja, Argentina, 781/97			6,00		
0	2783	V	riojense AVF, 228/90				10,00	
0	2783		riojense Börl NSR		i		8,00	
0	2783	A	riojense PHA 1084, Villa Union, Arg.		i	8,00		
0	2783	Z	riojense RS 1893, Las Coloradas, Arg.		i		10,00	

0	2783	Q	riojense STO 7, Casa de Piedra, 3/97			10,00	28,00
F	10198	A	riojense v. guasayense LF 78, Recreo, Catamarca, Argentina, 370m			10,00	
F	10198	B	riojense v. pipanacoense LF 36, Mutquin, Catamarca, Argentina, 1300m			12,00	30,00
F	10198	C	riojense v. sanjuanense LF 120, Astica, San Juan, Argentina, 800m			10,00	25,00
X	10198		riojense v. v. pipanacoense P 140, Salar de Pipinaco, Catamarca, Argentina, 900m			8,00	24,00
0	2783	R	riojense, Pažout!!!, 581/93			12,00	
0	2783	L	riojense, Pažout!!!, 60/1			12,00	
0	2785	CH	ritterianum f.white flower, 787/97		6,00		
0	2785	A	ritterianum P 219, La Rioja, Sierra Famatima, 1800m, Arg, 1267/91 ???	i		12,00	
0	2785		ritterianum P 219, La Rioja, Sierra Famatima, 1800m, Arg, 585/93	i		12,00	
0	2785	F	ritterianum P 219, La Rioja, Sierra Famatima, 1800m, Arg, 720/97	i	6,00		
0	2785	G	ritterianum? Machacek, very nice with long spines!		5,00		
0	2785	B	ritterianum?, pink flower 712/97			10,00	
0	2785	H	ritterianum-deeszianum, 49-85/86, very spiny			10,00	
0	2785	D	ritterianum???, very long spines!, BRD, nice!!!		10,00		
F	10218		robustum LF 80, Quilino, Cordoba, Argentina, 600m			10,00	
0	2786		rosanthemum Kö large flower!	i		10,00	
0	2786	B	rosanthemum sensu Till, 668/98		6,00		
0	2786	A	rosanthemum, 62/1			10,00	
0	2791	A	rubriflorum Frič, 642/98		8,00		
0	2791		rubriflorum, 328/96			10,00	30,00
0	2801	A	saglione de Tucuman, 1270/91			8,00	24,00
0	2792	CH	saglione L 448, Sierra Medina, Tucuman, Argentina 1200-1500m, 715/84	i		8,00	22,00
0	2792	N	saglione RS 1524, Olpas, Arg.	i		8,00	
0	2792	L	saglione RS 1529, Malanzán, Arg.	i		8,00	
0	2792	O	saglione RS 1588, San José-Entre Ríos, Arg.	i		8,00	
0	2792	J	saglione RS 1678, El Obelisco-Cafayate, Arg.	i		8,00	
0	2792	K	saglione RS 1687, Famatina, Arg.	i		8,00	
0	2792	M	saglione RS 1886, Pinchas, Arg.	i		8,00	
0	2796	A	saglione v. longispinum, 490/91			8,00	24,00
0	2792	I	saglione v. roseiflorum? Dupal			8,00	24,00
0	2808	A	seminudum ? 669/98			8,00	
0	2805	F	schatzelianum, 63/1			10,00	28,00
0	2803	C	schickendantzii f. FR 444, Quines, p. San Luis, Ag, 115/97	i		10,00	30,00
0	2806	C	schroederianum HU 1425= HU 42, Nuevo Berlin, Río Negro, Uruguay, 858/95	i	8,00		
0	2806	F	schroederianum HU 289, North of Fray Bentos, near Berlin, neare Nueva Mehlem, Río Negro, Río Uruguay, Río Negro, Uruguay, 1068/97	i	8,00		
0	2806	G	schroederianum v. bayense GN 90-289/970, 869/95	i	10,00		
0	2806	D	schroederianum v. longispinum, 623/97		8,00		
0	2806	H	schroederianum v. paucicostatum LB 0960, 344/01	i	10,00		
0	2806	A	schroederianum, 89/91			8,00	
X	2807		schuetzianum FR 430, Cruz de Eje, large pink flower	i		10,00	22,00
0	2940		sp. (as Kozelskyanum - non est!), 200/76		6,00		
0	2954		sp. (recently as horzonthalonium), 503/91			12,00	
0	3033		sp. 2709, 249/93			8,00	
0	2941		sp. 31, 1182/91 (denudatum?)		6,00		
0	10155	A	sp. 516W, 243/93		6,00		
0	10156		sp. 8		6,00		
0	2972	A	sp. 807 Bozsing, 916/95	i		8,00	28,00
0	10155	B	sp. 81		6,00		
0	2972		sp. 823 Bozsing, 914/95, thorny	i		8,00	
0	10127		sp. 83		6,00		
0	2870		sp. AC 79			8,00	
0	2863		sp. Aff. baldianum, 1128/76		5,00		
0	2850		sp. Alta Gracia, Kö/91	i		6,00	24,00
0	2865		sp. Amblayo Salta, 8/86	i		10,00	
0	2890		sp. B 131, Argentina, 891/95	i		12,00	
0	2886		sp. B 170, 578/80	i		8,00	
0	2919		sp. B 49 (weissianum?), La Rioja, Argentina, 530/95	i		8,00	
0	3035		sp. B 528, 1049/97 (f. vatterii?)	i		6,00	24,00
0	3007		sp. Bo, robust spines, Kö	i	5,00		
0	2987		sp. Born 128 (f. stellatum), 309/93	i		12,00	
0	2996	A	sp. Born U 2625, 703/97	i		10,00	
0	2929		sp. BS 604, 536/89			10,00	
0	9401		sp. BS 610/13, 920/88			10,00	24,00

0	2927		sp. BS 802				8,00	24,00
0	3039		sp. C.H.U. 2709, 689/97		i		12,00	28,00
0	3039	F	sp. C.H.U. 2727, 693/97		i		12,00	
0	2856	B	sp. Cand U 2704, 304/93		i		6,00	
0	2856		sp. Cand, 497/91				6,00	
0	2862	A	sp. Cape Town				6,00	
0	2862		sp. Cape Town, 498/91				6,00	
0	3034		sp. Cardenas U 2404, 279/92		i		6,00	
0	10157		sp. Famatima (very nice!), 702/95		i	8,00		
0	3026	A	sp. FR 599??, 123/95				5,00	
0	10128		sp. GN 91-460/1472, red flower, Los Angeles, 860/95		i		8,00	26,00
0	3039	E	sp. La Rioja, 279/89		i	10,00		
0	3039	E	sp. La Rioja, 289/89				8,00	24,00
0	2850	A	sp. LB 1098, 6km West of San Jorge, Cordoba, Argentina, 930m, 1009/01				12,00	
0	10158		sp. lepidum n. prov. P 192, Berrotaeran, Cordoba, Argentina, 699/97				10,00	
0	3038	A	sp. LF 4, 1192/97		i	10,00		
0	3038		sp. LF 8A, 1184/97		i		6,00	
0	2954	E	sp. long spines!!! (recently as LF 44 - not valid!), 1181/97		i		12,00	32,00
0	2850	B	sp. N 100, 234?/93				6,00	
F	3038	D	sp. N. LF 24, Andolucas, La Rioja, Argentina, 1250m				15,00	
0	3038	B	sp. n. LF 5, 1167/97		i	10,00		
0	2867		sp. Oehme, 290/94		i		10,00	28,00
0	2966	D	sp. P 220?, 263/93		i		10,00	
0	2866		sp. Quines U 524, 311/93		i		8,00	28,00
0	3015		sp. San Pedro, 505/91				10,00	28,00
0	3015	A	sp. San Pedro, long spines!, 908/95				10,00	28,00
0	2851		sp. Santa Tereza Kö		i		10,00	
0	2851	A	sp. Santa Tereza, 69/1		i		10,00	28,00
0	2863	A	sp. Sierra Grande?, 802/97				12,00	
0	10129		sp. STO 13b, 25/97 (baldianum - sanguiflorum?)		i	8,00		
0	2954	L	sp. STO 140, white wool, before Cafayate, 28/97		i		12,00	32,00
0	2872	B	sp. STO 2 f. genseri, Sta Catalina, 2/97		i	10,00		
0	2517	H	sp. STO 204, Llisca , 36/97				12,00	
0	3011	B	sp. STO 390 Ongamira (erinaceum?), 49/97		i		8,00	26,00
0	10171		sp. STO 517 Est. Mazan sp. Chumbicua ? spines 6 cm, 59/97		i		12,00	32,00
0	2864		sp. Tinogasata, 834/89				6,00	
0	10168		sp. U 1994, 320/93				6,00	
0	2996		sp. U 2625, 291/93		i		6,00	24,00
0	2996	B	sp. U 2625, 295/93				8,00	24,00
0	10222		sp. U 2709, 689/99				6,00	
0	10170		sp. U 516, 531/89				8,00	24,00
0	3038	E	sp. U 822, 556/98				8,00	
0	3040		sp. UN 100, 271/93		i	5,00		
0	2923		sp. WR 108, 117/83		i		10,00	
0	2769	F	spec. P 160 (quehlium v.), 525/96				8,00	
0	2954	M	sp. spegazzinii				10,00	30,00
F	2954	D	sp. spegazzinii LF 101a, Mollinos				10,00	
0	2954	D	sp. spegazzinii LF 130 , St. Maria		i	8,00		
F	2954	O	sp. spegazzinii LF 40, Punta de Balasto, Catamarca, Argentina, 1100m				10,00	
F	2954	P	sp. spegazzinii LF 44, La Punilla, Salta, Argentina, 1650m				10,00	
X	2954	F	sp. spegazzinii LF 58, La Encrucijada, Salta, Argentina, 3 400m		i		10,00	24,00
X	2954	J	sp. spegazzinii LF 67, El Chorro, Salta, Argentina, 2100m		i		10,00	24,00
X	2954	H	sp. spegazzinii LF 69, Capillitas, Catamarca, Argentina, 2700m		i		10,00	24,00
F	2954	Q	sp. spegazzinii v. horizionthalonium LF 63, Cachipampa, Argentina, 3200m				12,00	40,00
F	2954	R	sp. spegazzinii v. horizionthalonium LF 63b, Payogasta, Salta, Argentina, 2500m				12,00	
0	2954	A	sp. spegazzinii v. horizionthalonium, Cachabamba		i		10,00	24,00
X	2954	K	sp. spegazzinii v. LF 130, St.Maria		i		10,00	24,00
X	2954	G	sp. spegazzinii v. major LF 68, La Angostura, Salta, Argentina, 1950m		i		10,00	24,00
0	2814		sp. spegazzinii v. major, 507/93				10,00	
0	2814	A	sp. spegazzinii v. major, 782/97				10,00	
0	2954	CH	sp. spegazzinii v. Puenta Balasto - grey form		i		10,00	24,00
X	2954	I	sp. spegazzinii v. punilense LF 45, El Obelisco, Salta, Argentina, 1600m		i		10,00	24,00
X	2814	B	sp. spegazzinii v. mayor, Chafayate		i		10,00	24,00
X	2954	N	sp. spegazzinii, La Punilla		i		10,00	24,00
0	2954	C	sp. spegazzinii, Capillutas		i	10,00		

0	2954	B	spgazzinii, doublecolor spines, 327/93				12,00	
0	2783	CH	stellatum (riojense f.) P 76, original material J.Piltz, Sierra Mazan 800 m, p. La Rioja, Argentina, 872/95	i			12,00	
0	2468	W	stellatum Belgie, 277/93	i		6,00		
0	2468	Z	stellatum Belgie, 749/97			6,00		
0	2468	S	stellatum FB 401, 301/93	i		8,00		
0	2468	R	stellatum LF 22, 1156/97	i		6,00		
0	2468	Y	stellatum RS 1505, Tanti, Arg.	i			10,00	
0	2468	G	stellatum STO 393, Los Gigantes, 50/97	i			12,00	
0	2783	Y	stellatum UN 263, 406/97	i			10,00	
0	2468	V	stellatum V!G!N! 63, 764/97	i			12,00	
0	2470	R	stellatum v. albispinum, 5/1				8,00	24,00
0	2474		stellatum v. echinoideum, 57/1				8,00	24,00
0	2475	A	stellatum v. minimum, 678/98				8,00	24,00
0	2476	A	stellatum v. nigrispinum, /78				8,00	24,00
0	2476		stellatum v. nigrispinum, 6/1				8,00	24,00
0	2478		stellatum v. paucispinum, 634/97				8,00	
0	2479		stellatum v. roseiflorum, 179/80				8,00	
0	2468	X	stellatum V.G.N.(correction from VNQ) 263, 754/97			6,00		
0	2471		stellatum, Catamarca	i			6,00	
0	2468	H	stellatum, Fleischer, 527/92			5,00		
0	2468	U	stellatum, La Rioja, 1070/97	i		8,00		
0	2816	B	stenopleurum FR 1176, Boqueron Cerro Leon, 718/97	i			8,00	24,00
0	2682		stenostriatum, 276/92				8,00	
X	2817	C	striglianum WR 548, Quebrada del Toro	i			10,00	22,00
0	2817		striglianum, brown body, black spines, 64/1				8,00	
X	2817	A	striglianum, Lujan de Cuyo, Mendoza	i			10,00	22,00
0	2818	B	stuckertii P 106, El Volcan, San Luis, Argentina, 163/95	i			12,00	32,00
0	2818	C	stuckertii P 106, El Volcan, San Luis, Argentina, 292/96	i			12,00	32,00
0	2818	D	stuckertii VS 12, Las Chacras, San Luis, Argentina, 950m, 393/95				12,00	
0	2819	E	sutterianum			6,00		
0	3029	D	taningaense P 212, Salsacate - Taninga, Cordoba, Argentina, 184/95	i			12,00	36,00
0	3029	G	taningaense P 212, Salsacate - Taninga, Cordoba, Argentina, 232/93	i			12,00	
0	3029	E	taningaense P 212, Salsacate - Taninga, Cordoba, Argentina, 358/92	i			12,00	
0	3029	F	taningaense P 212, Salsacate - Taninga, Cordoba, Argentina, 506/93	i			12,00	
0	3029	B	taningaense P 212, Salsacate - Taninga, Cordoba, Argentina, K6/92	i			12,00	32,00
0	2820	C	tilcareense RS 1633, Tilcara, Arg.	i			10,00	
0	2822	C	tillianum SL 35a, 647/97	i			12,00	
0	2824	B	triacanthum P 124, Sierra Ancasti, Catamarca, Argentina 600m, 158/95	i			10,00	28,00
0	2824	CH	triacanthum P 124, Sierra Ancasti, Catamarca, Argentina 600m, 311/96	i			10,00	
0	2824	E	triacanthum P 124, Sierra Ancasti, Catamarca, Argentina 600m, 624/97	i			10,00	
0	2824	G	triacanthum, 661/97				8,00	
0	2824		triacanthum, very nice form!, 317/93				8,00	24,00
0	3041		twidii?, Dupal 93				8,00	
F	2828	A	uebelmannianum WR 141, Sierra Velasco, La Rioja, Argentina, 2500m			10,00		
0	2849		urschelium ?, 272/84			6,00		
0	2829	B	uruguayense U 2893, 361/93	i		6,00		
0	2835		valnicekianum v. polycentrale, 102/76				8,00	22,00
0	2834	C	valnicekianum-bicolor RS 1831, tow. Masa, Arg.				10,00	
0	2946		vanvlietii?, 288/93				8,00	24,00
0	2839	A	vatteri				10,00	
0	2839		vatteri 1 spine, 57/86				8,00	
0	2837	I	vatteri L 516, Salsacate, Córdoba, 2400m, 208/95	i			12,00	30,00
0	2837	L	vatteri L 516, Salsacate, Córdoba, 2400m, 269/93	i			12,00	
0	2837	D	vatteri L 516, Salsacate, Córdoba, 2400m, 508/93	i			12,00	
0	2837	Q	vatteri L 516, Salsacate, Córdoba, 2400m, 728/97	i			12,00	
0	2837	J	vatteri LF 96, Las Rabonas, Cordoba, Argentina, 900m, 1166/97	i			12,00	
0	2837	R	vatteri LF 96, Las Rabonas, Cordoba, Argentina, 900m, 220/00	i			12,00	
X	2837	N	vatteri P 108, Los Rabanos, only one spine!	i			10,00	22,00
0	2837	S	vatteri SL 9a, 815/97	i			12,00	
0	2837	K	vatteri v. cereiformis, 684/97				10,00	
0	2838		vatteri v. longispinum, 915/95				10,00	28,00
0	2837	O	vatteri v. variispinum, 707/92				10,00	
F	2837	M	vatteri WR 110, Cordoba, Sierra Grande, Arg				8,00	
0	2837	A	vatteri, 494/91				8,00	

0	2933		venturianum v. curvispinum, red flower (origin Pecha - Kreuzinger)		6,00		
0	2840		wagnerianum, 409/76			12,00	
0	2848	A	weissianum f. longispinum, Krause , 1244/93			10,00	28,00
0	2848		weissianum v. longispinum, Krause, 287/84	i		10,00	28,00
0	2845		weissianum, 313/93		6,00		
0	3039	B	zegarrae v. saipinensis KK 736, Saipina, Bolivia 1500m, 631/93	i		8,00	